

AOLGA INDUSTRY LIMITED
ELEGANT, SAFE, UNIQUE AND HIGH-END ELECTRICAL APPLIANCE BRAND

aolga

AOLGA INDUSTRY LIMITED
ELEGANT, SAFE, UNIQUE AND HIGH-END ELECTRICAL APPLIANCE BRAND

PRODUCT CATALOG

COMPANY

PROFILE

AOLGA INDUSTRY LIMITED
ELEGANT, SAFE, UNIQUE AND HIGH-END ELECTRICAL APPLIANCE BRAND

Relying on Hong Kong and based in Shenzhen, Aolga has been adhering to the business concept of being pragmatic, efficient, stable and reliable facing the world since its establishment. With the goal of creating a world-class brand of safe and reliable high-end hotel electrical products, Aolga provides our customers with exquisite and high-quality hospitality appliances through the integration of R&D, manufacturing and sales.



CATALOGUE

A	Hair Dryer
B	Electric Kettle
C	Coffee Maker
D	Electric Iron
E	Iron Board
F	Iron Holder
G	Weight Scale
H	Alarm Clock

I	Torch Light
J	Cosmetic Mirror
K	Absorption Minibar
L	Retro Minibar
M	Thermoelectric Minibar
N	Thermoelectric Minibar (Heat Pipe)
O	Hotel Room Safes
P	Bank/Hotel Guest Deposit Box

AOLGA Project Cases




AOLGA Project Cases

Sonder Business Bay	Nina Hotel Island South	Sakl Hashish
JW Marriott Residence Dubai	Sheraton Grand Doha Resort & Convention Hotel	Westin Bora Bora
Wyndham Bahrain	HK SkyCity by Marriott	Barcelo, Nasandhura
Hilton Bahrain	Dorsett Mongkok, Hong Kong	TNC Hotels(Crown Empress)
The Address Opera(Emaar corporate)	Ma Belle Danang Voco	Rosewood Doha
Amiana Resort Nha Trang	Harbour Plaza 8 Degrees Limited	Mantis by Accor
Mekong River Cruise	Dorsett Kwun Tong, Hong Kong	Crowne Plaza Hong Kong Kowloon East
Sofitel Legend	Silka Seaview, Hong Kong	Talmud Hotel Group
December Hoi An Villa	Dorsett Kai Tak	The Student Hotel
Lotte Project	Dorsett Lan Kai Fong Hotel	Four Seasons Kuwait
Lana Dorchester Collection Business Bay	Cordis Hong Kong at Langham Place	Mercury Development GmbH
Parkroyal Collection Marina Bay	Ying'n Flo, Wesley Admiralty, Hong Kong	Grafik Baugio
Temptation Miches Resort	Secrets Resorts & Spas(Hyatt group)	Almanity Hoi An
Silka Tsuen Wan	Habour Plaza 8 Degrees Limited	Constance Belle Mare Plage Hotel
Dorsett Wanchai Hotel	Giza Palace	Premium Riviera
Go Quito Hotel	Almaza Spa	Hampton by Hilton Kuwait Salmiya
Trou Aux Biches Hotel	Magic World Sham	Parkroyal Collection Marina Bay, Singapore

High Speed Hair Dryer DF21

- High-speed motor with 110,000r/min
- 23m/s large wind speed
- 200,000,000 negative ions
- 59dB acoustic noise reduction
- Hot, warm and cold air circulating
- 2 wind speed options, 4 temperature controlled options
- Motor protection/Overheat protection/Constant temperature detection/Wind blocking protection
- Color: Gray/White
- Certificates: **CE CB RoHS**




Rated Power	Voltage	Rated Frequency
1600W	220-240V~/120V~	50Hz/60Hz
Power Cable	Master Carton Size	
1.8M	1.25KG/PC	W530xD333xH351MM



High Speed Hair Dryer GF-10

- 110,000r/min high-speed brushless motor
- Three-level safety protection
- Strong airflow for fast drying
- 200 million negative ions
- Intelligent temperature control system
- 2 wind speed options, 4 temperature controlled options
- Hot & Cool air switch
- Multiple combination noise reduction
- Color: Gray/White
- Certificates: **CE RoHS**



Rated Power	Voltage	Rated Frequency
1600W	220-240V~	50Hz/60Hz
Power Cable	Master Carton Size	
1.8M	0.77KG/PC	W605xD256xH346MM



Hair Dryer HD-920F

- Retractable cord
- Cool shot function
- DC motor with high torque and high speed
- 2 wind speed options, 3 temperature controlled options
- With anion care
- Removable end cap
- Overheating protection
- Color: Gray/White
- Certificates: **CE CB RoHS**

Rated Power	Voltage	Rated Frequency	G.W.	Dimensions	Master Carton Size
1800-2200W	220-240V~	50Hz/60Hz	0.6KG/PC	W214xD94xH260MM	W585xD285xH585MM



Hair Dryer C309

- 3 temperature controlled options
- 2 wind speed options
- Micro safety switch
- Overheating protection
- Powerful DC motor
- Color: Black/White
- Certificates: **CE CB RoHS**


Rated Power	Voltage	Rated Frequency	Power Cable	G.W.	Master Carton Size
1800W	220-240V~	50Hz/60Hz	1.4M	0.75KG/PC	W515xD395xH510MM



Hair Dryer C189

- 3 temperature controlled options
- 2 wind speed options
- Micro safety switch
- Overheating protection
- Powerful DC motor
- Color: Black/White
- Certificates: **CE CB RoHS**

Rated Power	Voltage	Rated Frequency	Power Cable	G.W.	Master Carton Size
1800W	220-240V~	50Hz/60Hz	1.4M	0.69KG/PC	W515xD395xH510MM



Foldable Hair Dryer C201

- 3 temperature controlled options
- 2 wind speed options
- Micro safety switch
- Overheating protection
- Powerful DC motor
- Foldable handle for convenient storage
- Color: Black/White
- Certificates: **CE CB RoHS**

Rated Power	Voltage	Rated Frequency	Power Cable	G.W.	Dimensions	Master Carton Size
1800W	220-240V~	50Hz/60Hz	1.4M	0.6KG/PC	W165xD80xH255MM(Open) W210xD80xH130MM(Folded)	W515xD395xH510MM



Foldable Hair Dryer HD-8010

- 2 temperature controlled options
- 2 wind speed options
- Cool shot function
- Overheating protection
- Powerful DC motor
- Foldable handle for convenient storage
- Color: Black/White
- Certificates: **CE CB RoHS**

Rated Power	Voltage	Rated Frequency	G.W.	Dimensions	Master Carton Size
1800-2200W	220-240V~	50Hz/60Hz	0.7KG/PC	W235xD75xH270MM	W555xD440xH320MM

Foldable Hair Dryer FL-1302

- Super wind power, fast drying
- Multi-gear adjustment
- Double-layer air inlet net
- Overheating protection
- 3 wind speed options, 3 temperature controlled options
- Color: Black/White
- Certificates: **CE**

Rated Power	Voltage	Rated Frequency	G.W.	Dimensions	Master Carton Size
1600W	220-240V~	50Hz/60Hz	0.6KG/PC	W165xD73.5xH230MM	W540xD440xH440MM



Wall-Mounted Hair Dryer D158/RCY-67600B

- Small body with super power
- Micro safety switch
- 2 wind speed options, 2/3 temperature controlled options
- Built-in famous brand high-quality thermostat
- Overheating protection
- Automatic power-off
- Thermal-resistant and flame-retardant device
- Color: Black/White
- Certificates: **CE CB RoHS**



D158



RCY-67600B

Wall-Mounted Hair Dryer RCY-67588B

- With shaver sockets: dual voltage (110V~/220V~)
- Famous brand DC motor with high torque and high speed
- Overheating protection
- 2 wind speed options and 2/3 temperature controlled options
- Micro safety switch
- Color: Black/White
- Certificates: **CE CB RoHS**

Model	D158	RCY-67600B	RCY-67588B
Rated Power	1600W/1800W	1600W/1800W	1600W/1800W
Voltage	110-127V~/220-240V~	110-127V~/220-240V~	110-127V~/220-240V~
Rated Frequency	50Hz/60Hz	50Hz/60Hz	50Hz/60Hz
Dimensions	W345xD150xH265MM	W170xD100xH240MM	W225xD145xH250MM
G.W.	1.0KG/PC	1.0KG/PC	1.42KG/PC
Master Carton Size	W515xD395xH360MM	W475xD385xH320MM	W555xD365xH445MM



RCY-67588B



Wall-Mounted Hair Dryer FL-1017

- 3 temperature controlled options
- 3 wind speed options
- Micro safety switch
- Overheating protection
- Powerful DC motor
- Color: Black/White/Gray
- Certificates: **CE**

Rated Power	Voltage	Rated Frequency	G.W.	Dimensions	Master Carton Size
1600W	220-240V~	50Hz/60Hz	0.6KG/PC	W135xD73.5xH230MM	W445xD295xH495MM



Wall-Mounted Hair Dryer FL-2206

- 2 wind speed options, 2 temperature controlled options
- Micro safety switch
- Overheating protection
- ABS engineering plastics
- Bolded spring line
- Color: Black/White
- Certificates: **CE CB RoHS** 

Rated Power	Voltage	Rated Frequency	G.W.	Dimensions	Master Carton Size
1800W	220-240V~	50Hz/60Hz	1.13KG/PC	W180xD92xH195MM	W570xD380xH510MM



ELECTRIC KETTLE

Quiet kettle, Brilliant life



0.6L Digital Electric Kettle EKS06618XH-4S

- SUS304 stainless steel and spray paint craftsmanship
- Digital control panel with touch function
- Keep warm and boil up function
- Intelligent constant temperature
- Multi-level temperature adjustment
- Gooseneck spout
- Auto power off, boil-dry protection
- Certificates: **CE CB RoHS**

Specification

800-1000W (220-240V~, 50Hz/60Hz)

Power Cable: 0.75M

Gross weight: 2.37KG/PC

Dimensions: W289.9xD170xH194MM

Master Carton Size: W551xD385xH470MM



0.7L Electric Kettle EKS07228E-3

- Fashionable appearance and color
- Separate but stable base, which will not make it shake when boiling water
- Food grade SUS304 stainless steel and spray paint craftsmanship
- Auto power off, boil-dry protection
- Color: Black/White
- Certificates: **CE CB RoHS**

Specification

1000-1200W (220-240V~, 50Hz/60Hz)

Power Cable: 0.75M

Gross weight: 1.26KG/PC

Dimensions: W213.7xD155xH250.3MM

Master Carton Size: W415xD385xH506MM



0.8L Electric Kettle LL-08P01

- Spring cover
- Double-layer design
- Integrated kettle with lid, uneasy to fall or lose
- Integrated seamless liner
- Ergonomic handle
- Water-gathering ring design of upper cover for anti-scalding
- Auto power off, boil-dry protection
- Visible heating indicator
- SUS304 stainless steel for pot bladder and inner steel cover
- Blue LED indicator
- Color: Black/White
- Certificates: **CE CB RoHS**

Specification

1000-1200W (220-240V~, 50Hz/60Hz)

Power Cable: 0.8M

Gross weight: 1.14KG/PC

Dimensions: W202xD136.7xH201.1MM

Master Carton Size: W585xD395xH410MM



0.8L Electric Kettle LL-8860

- Spring cover
- Double-layer design
- Integrated kettle with lid, uneasy to fall or lose
- Integrated seamless liner
- Ergonomic handle
- Water-gathering ring design of upper cover for anti-scalding
- Auto power off, boil-dry protection
- Visible heating indicator
- SUS304 stainless steel for pot bladder and inner steel cover
- Color: Black/White
- Certificates: **CE CB RoHS**

Specification

1000-1200W (220-240V~, 50Hz/60Hz)

Power Cable: 0.8M

Gross weight: 1.14KG/PC

Dimensions: W202.2xD136.7xH201.1MM

Master Carton Size: W585xD395xH410MM



1.0L Electric Kettle LL-8865

- Double-layer pot body
- Integrated kettle with lid, uneasy to fall or lose
- Integrated seamless liner
- Water-gathering ring design of upper cover for anti-scalding
- Auto power off, boil-dry protection
- Visible heating indicator
- SUS304 inner pot and stainless steel cover
- Color: Black/Stainless steel color
- Certificates: **CE CB RoHS**



LL-8865

1.0L Electric Kettle LL-8877

- Colored steel and PP outside
- Double-layer design
- Integrated kettle with lid, uneasy to fall or lose
- Integrated seamless liner
- Water-gathering ring design of upper cover for anti-scalding
- Automatic power-off
- SUS304 stainless steel for pot bladder and inner steel cover
- Color: Gray/Orange
- Certificates: **CE CB RoHS**

Model	LL-8865	LL-8877
Rated Power	1000-1200W	1350W
Voltage	220-240V~/110V~	220-240V~/110V~
Rated Frequency	50Hz/60Hz	50Hz/60Hz
Power Cable	0.8M	0.8M
Dimensions	W204xD137xH221MM	W197.5xD148xH205MM
G.W.	1.26KG/PC	1.18KG/PC
Master Carton Size	W510xD425xH540MM	W760xD385xH420MM



LL-8877

1.0L Electric Kettle LL-8516

- Integrated kettle with lid, uneasy to fall or lose
- Water-gathering ring design of upper cover for anti-scalding
- Auto power off, boil-dry protection
- Visible heating indicator
- SUS304 inner pot and stainless steel cover
- Color: Stainless steel color
- Certificates: **CE CB RoHS**

Rated Power	Voltage	Rated Frequency	Power Cable	Dimensions	G.W.
1000-1200W	220-240V~/110V~	50Hz/60Hz	0.8M	W180xD138xH203MM	0.98KG/PC



1.0L Electric Kettle LL-8710D

- Double-layer pot body
- 304 food grade stainless steel seamless liner
- Water level window
- Automatic/manual switch off
- Separate base and 360° cordless operation allow removal and replacement from any angle
- Color: Black/White
- Certificates: **CE CB RoHS**

Rated Power	Voltage	Rated Frequency	Power Cable	Dimensions	G.W.
1800-2200W	220-240V~	50Hz/60Hz	0.7M	W206xD143xH198MM	0.95KG/PC



Coffee Maker ST-503A

- Capsule bin with max accommodation of 10 used capsules
- NTC temperature control
- 19 Bar high pressure pump
- Patented brewing group & design
- Compatible capsules: Nespresso Compatable Capsules, Rios Cafe, Nestlé, Starbucks, ILLY, LAVAZZA, LOR
- Color: Black/Red
- Certificates: CE CB RoHS FDA ETL

Specification

1260W (220-240V~, 50Hz/60Hz)

Power Cable: 1.15M

Gross weight: 3.8KG/PC

Dimensions: W350xD100xH260MM

Master Carton Size: W438xD311xH318MM



Coffee Maker CM-C08A

- Capsule auto ejection system
- Capsule bin with max accommodation of 7 used capsules
- Transparent removable water tank
- Manually or auto stop
- Detachable drip tray for easy cleaning
- Optional three cup sizes
- Compatible capsules: Nespresso Compatable Capsules, Rios Cafe, Nestlé, Starbucks, ILLY, LAVAZZA, LOR
- Color: Black/White/Red
- Certificates: CE CB RoHS

Specification

1450W (220-240V~, 50Hz/60Hz)

Dimensions: W358xD87xH220MM



Coffee Maker AC-514K/AC-513K

- Nespresso capsule system
- Prebrewing function
- Patented brewing group & design
- Detachable drip tray for easy cleaning, removable water tank
- Transparent removable water tank
- Detachable drip tray for easy cleaning, removable water tank
- Compatible capsules: Nespresso Compatible Capsules, Dolce Gusto Capsules Coffee powder, Coffee pod, Lavazza A Modo Mio, Lavazza Blue, Caffitaly
- Certificates: **CE CB RoHS FDA** 



Small Nespresso capsule
brewing cup



Large Dolce Gusto capsule
brewing cup



Espresso coffee powder
brewing cup

Model	AC-514K	AC-513K
Rated Power	1450W/1250W~	1450W
Voltage	220-240V~/110V~	220-240V~/120V~
Rated Frequency	50Hz/60Hz	50Hz/60Hz
Water Capacity	600ML	800ML
Power Cable	0.9M	0.8M
Dimensions	W280xD115xH250MM	W312xD170xH295MM
G.W.	3.48KG/PC	4.03KG/PC
Color	Black/Red	Silver
Master Carton Size	W595xD330xH295MM	W700xD370xH320MM



AC-514K



AC-513K

K Cup Coffee Maker AC-505K

- Single-cup brewing system for use with K-Cups and ground coffee
- Auto shut off/energy saving
- Retractable pin & residual pressure release to eliminate safety concern
- Stop brewing anytime
- Patented heater for instant brew, benefit to make next brew immediately
- One-touch control panel with illumination
- Removable drip tray
- 45 oz removable clear water reservoir, BPA free
- Fit with refillable holster
- Fit with most standard travel mug
- Color: Black/Red/Silver/Grey
- Certificates: **CE CB RoHS FDA** 

Rated Power	Voltage	Rated Frequency	Water Capacity	G.W.	Master Carton Size
1420W	220-240V~/120V~	50Hz/60Hz	45OZ	5.0KG/PC	W535xD520xH285MM



K Cup Coffee Maker AC-507K


- Single cup brewing system for use with K-cups
- One-touch control button with illumination
- Detachable lid
- Integrated reservoir, easier access to clean
- Auto shut off after brew
- Retractable probe for safety
- Color: Black
- Certificates: **CE CB RoHS FDA** 

Rated Power	Voltage	Rated Frequency	Water Capacity	G.W.	Master Carton Size
800W	120V~	60Hz	10OZ	3.8KG/PC	W477xD410xH370MM



Handheld Garment Steamer GT001

- Warming up quickly in 30s is almost no need to wait
- Usage includes both flat and hanging ironing
- Aluminum alloy ironing panel
- 180°C steam temperature
- Super large amount of steam
- Automatically power off when no operation for 10 minutes
- Automatic cleaning function
- Overheating protection
- Color: White
- Certificates: CE



Rated Power	Voltage	Rated Frequency	Water Capacity	Power Cable	G.W.	Master Carton Size
1100-1300W/1200W	220-240V~/120V~	50Hz/60Hz	150ML	2.0M	1.45KG/PC	W615xD490xH387MM



Handheld Garment Steamer MW-830

- Dry ironing & steam ironing
- Continue steam & burst steam
- 2 levels of Steam
- ABS+PC material, ceramic panel
- Less than 30s quick warm-up
- 150°C steam temperature
- Overheating protection
- Color: Gray/White
- Certificates: CE CB RoHS

Specification

1200-1400W (220-240V~, 50Hz/60Hz)

Water Capacity: 180ML

Gross weight: 1.38KG/PC

Dimensions: W277xDW102.5xH96MM/W269xD88xH84MM

Master Carton Size: W580xD335xH390MM



Handheld Garment Steamer T21AE


- 25S fast preheating, more efficient wrinkle removal
- 20g/min super large steam volume, ironing without getting clothes wet
- Chestnut-shaped panel, double steam flow channel, deep wrinkle removal
- Pointed design, detailed ironing
- Visual water window
- Folding design, saving storage space
- Silent water pump, continuous and stable steam output
- Triple protection: standby protection, anti-dry burning protection, high temperature protection
- Color: Gray/White
- Certificates: CE CB

Rated Power	Voltage	Rated Frequency	Water Capacity	Power Cable	G.W.	Dimensions	Master Carton Size
1200W	220-240V~	50Hz/60Hz	100ML	1.7M	0.95KG/PC	W178xD82xH212MM	W396xD304xH278MM



Electric Iron SW-605

- Smart steam motion sensor auto cut-off
- Ceramic soleplate
- Adjustable thermostat control
- Variable steam control
- Overheating safety protection
- LED ready indicator
- 3 way automatic shut-off
- Anti-calcium systems
- Color: Black
- Certificates: CE CB RoHS



Dry Iron DSW-8

- Non-stick soleplate
- Dry ironing function
- Adjustable thermostat control
- Flexible 360 degree swivel cord guard
- Overheat safety protection
- Indicate light
- Auto-shut off function
- Color: Gray
- Certificates: CE

Rated Power	Voltage	Rated Frequency	Power Cable	G.W.	Dimensions	Master Carton Size
1000W	220-240V~	50Hz/60Hz	1.9M	0.9KG/PC	W256xD103xH125MM	W600xD280xH290MM





Iron Board 1338

- Various height adjustment up to 78cm
- Mesh ironing top W12xL36 inch [30.5x91.5cm]
- Strong structure legs design
- Stylish iron rest
- Flameproof fabric plus 10mm thickened cotton cushion
- Color: Gray

Dimensions	G.W.
W305xD61xH1230MM (Folded)	3.8KG/PC
W1100xD305xH780MM (Open)	
Package Standard	Master Carton Size
4PCS/CTN	W1250xD250xH340MM



Iron Board RY1343TC-28-32

- Various height adjustment up to 85cm
- Mesh ironing top W13xL42.9 inch [33x109cm]
- Anti-theft
- Stylish iron rest
- Flameproof fabric plus 10mm thickened cotton cushion
- Color: Gray

Dimensions	G.W.
W330xD65xH1230MM (Folded)	6-8KG/PC
W1090xD330xH850MM (Open)	
Package Standard	Master Carton Size
4PCS/CTN	W1260xD290xH350MM



Iron Board 1343H24-19

- Variable height adjustment up to 88cm
- Popular for hotel use
- Mesh ironing top W13xL42.9 inch [33x109cm]
- Flameproof fabric plus 10mm thickened cotton cushion
- Stylish iron rest
- Color: Gray

Dimensions	G.W.
W340xD55xH1220MM (Folded)	4.0KG/PC
W1090xD330xH880MM (Open)	
Package Standard	Master Carton Size
4PCS/CTN	W1230xD230xH350MM



Iron Holder TCL-D

- Suitable for different size iron
- ABS moulded, with two silicone strips resistant to high temperature
- Color: Black/White

Dimensions	G.W.
W330xD140xH110MM	0.44/KG/PC
Package Standard	Master Carton Size
20PCS/CTN	W845xD343xH306MM



Iron Holder TCL-E

- Plastic iron holder with hook
- Smart design to hold different type of legs
- Color: Black/White

Dimensions	G.W.
W150xD110xH360MM	0.5/KG/PC
Package Standard	Master Carton Size
12PCS/CTN	W490xD480xH320MM

Spontaneous Electric Weight Scale CW300

- No battery, patented self-generating electronic scale
- ABS+ architectural grade tempered glass
- High-definition LCD display
- Auto power off/on
- Overload/Low battery prompt
- Humanized design large rounded corners
- Color: Gray/White
- Certificates: **CE RoHS FC**

Material	Battery	Weighing Range	G.W.	Dimensions	Master Carton Size
ABS+tempered glass	No battery	3KG-180KG	1.9KG/PC	W302xD25xH302MM	W330xD330xH250MM



Weight Scale CW269

- Full ABS covered base
- ABS+tempered glass
- Invisible LED display
- 4 high sensitive sensors
- Intelligent automatic switch ON/OFF
- Integrated weighing surface
- Four-point force
- Auto power off/on
- Overload/Low battery prompt
- Color: Black/White
- Certificates: **CE RoHS FDA QDL**


Material	Battery	Weighing Range	G.W.	Dimensions	Master Carton Size
ABS+tempered glass	4x1.5V AAA	5KG-180KG	1.97KG/PC	W300xD24xH300MM	W445xD400xH360MM



Weight Scale CW276

- Integral body to open and close without screw exposed for being durable and long service life
- 16.2mm thin scale body with lower center of gravity and being more stable when weighing
- Clear LCD digital display with soft white backlight, making it still clear under the low light and dark environment
- High precision sensor system with precision being 0.05kg
- Auto power off/on, overload, low battery prompt
- Color: Wood color
- Certificates: **CE**


Material	Battery	Weighing Range	G.W.	Master Carton Size
ABS+fireproof material	2x3V CR2032	3KG-150KG	1.38KG/PC	W310xD258xH315MM



Weight Scale CB2267E-Y

- Full ABS covered base
- Invisible LED display
- 4 high sensitive sensors
- Intelligent automatic switch ON/OFF
- Integrated weighing surface
- Four-point force
- Auto power off/on
- Overload/Low battery prompt
- Color: Black/White
- Certificates: **CE**

Material	Battery	Weighing Range	G.W.	Master Carton Size
ABS+tempered glass	4x1.5V AAA	3KG-180KG	1.97KG/PC	W430xD342xH336MM



Alarm Clock H7

- Bluetooth version 5.0
- Wireless Qi mobile phone charging or charging with the front USB+Type C
- Loudspeaker
- Multi-function with Bluetooth, alarm clock, radio, showing week, TF, disk, AUX,
- Qi wireless charging and playing music features
- LED digital display
- Color: Black/White

AC Input	DC Output	Rated Frequency	G.W.	Dimensions	Master Carton Size
100-240V~	9V/2A transformer	50Hz/60Hz	0.5KG/PC	W150xD90xH75MM	W430xD330xH415MM



Alarm Clock K5

- Bluetooth version 5.0
- Work as a loudspeaker
- Multi-function with Bluetooth, alarm clock, radio, showing time, week, temperature
- Mobile phone charging
- Two USB in the front and one Type C interface for devices charging
- LCD digital display
- NAP and snooze function
- Color: Black/White

AC Input	DC Output	Rated Frequency	G.W.	Dimensions	Master Carton Size
100-240V~	5V/2A transformer	50Hz/60Hz	0.35KG/PC	W127xD50xH78MM	W425xD344xH422MM



Wall-mounted torch light NE2020-B

- Brighter light source Escape is brighter: 1w high-brightness
- LED lightsource, continuous lighting for more than 10 hours, in line with fireprotection standards
- Environmental protection and energy saving charging indication: charging(red light) / fully charged (green light)
- Six-series aviation aluminum body with high temperature resistanceand anti-theft design
- Dimensions: W150xD37xH40MM
- G.W.: 0.16KG/PC
- Color: Black
- Certificates: CE



Wall-mounted torch light NE2023-B

- 3W higher brightness LED light source
- Continuous lighting for more than 8 hours, in line with fire protection standards
- Fluorescent warning label
- Fire emergency, pick up and light up
- Six-series aviation aluminum body with high temperatureresistance and anti-theft design
- Dimensions: W42xD42xH160MM
- G.W.: 0.18KG/PC
- Color: Black
- Certificates: CE



Wall-mounted torch light NE2024-B


- 3W higher brightness LED light source
- Continuous lighting for more than 8 hours, in line with fire protection standards
- Fluorescent warning label
- Fire emergency, pick up and light up
- Six-series aviation aluminum body with high temperatureresistance and anti-theft design
- Dimensions: W43xD43xH160MM
- G.W.: 0.15KG/PC
- Color: Black
- Certificates: CE



Wall Mounted LED Mirror 214-2

- Size: 8 inches
- Mirror: 3x, 5x
- Material: Brass+Zinc+Stainless steel
- Led light: 5W, 110-260V~
- Light colour: white, warm white, yellow
- Switch: mirror touch switch
- Connect: plug, hard wires in side wall
- Power supplied: AC 110-260V~ used; rechargeable battery
- Plug: EU, BS, US, AU, BRA, SA, IT Plugs ect
- QTY: 20pcs/ctn
- Master carton size: W800xD390×H655MM


● Chrome ● Black ● Zirconium gold



Wall Mounted LED Mirror 261-2

- Size: 8 inches
- Mirror: 3x, 5x
- Material: Brass+Zinc+Stainless steel
- Led light: 5W, 110-260V~
- Light colour: white, warm white, yellow
- Switch: mirror touch switch
- Connect: plug, hard wires in side wall
- Power supplied: AC 110-260V~ used; rechargeable battery
- Plug: EU, BS, US, AU, BRA, SA, IT Plugs ect
- QTY: 10pcs/ctn
- Master carton size: W715xD295×H590MM


● Chrome ● Black ● Zirconium gold



Wall Mounted LED Mirror 260

- Size: 202x202MM
- Mirror: 3x, 5x
- Material: Brass+Zinc+Stainless steel
- Led light: 5W, 110-260V~
- Light colour: white, warm white, yellow
- Switch: boat switch
- Connect: plug, hard wires in side wall
- Power supplied: AC 110-260V~ used; rechargeable battery
- Plug: EU, BS, US, AU, BRA, SA, IT Plugs ect
- QTY: 10pcs/ctn
- Master carton size: W400xD390×H645MM


● Chrome ● Black ● Zirconium gold



Wall Mounted LED Mirror 262-1

- Size: 202x202MM
- Mirror: 3x, 5x
- Material: Brass+Zinc+Stainless steel
- Led light: 5W, 110-260V~
- Light colour: white, warm white, yellow
- Connect: plug, hard wires in side wall
- Power supplied: AC 110-260V~ used; rechargeable battery
- Plug: EU, BS, US, AU, BRA, SA, IT Plugs ect
- QTY: 10pcs/ctn
- Master carton size: W715xD295×H590MM


● Chrome ● Black ● Zirconium gold



Wall Mounted LED Mirror 995

- Size: 8 inches
- Mirror: 3x, 5x
- Material: Brass+Zinc+Stainless steel
- Led light: 5W, 110-260V~
- Light colour: white, warm white, yellow
- Switch: mirror touch switch
- Connect: plug, hard wires in side wall
- Power supplied: AC 110-260V~ used; rechargeable battery
- Plug: EU, BS, US, AU, BRA, SA, IT Plugs ect
- QTY: 20pcs/ctn
- Master carton size: W800xD390×H655MM


● Chrome ● Black ● Zirconium gold



Wall Mounted Cosmetic Mirror 251

- Size: 6 inches, 8 inches
- Mirror: 3x, 5x
- Material: Brass+Zinc+Stainless steel
- QTY: 20pcs/ctn
- Master carton size: W590xD350xH700MM


● Chrome ● Black ● Zirconium gold



Wall Mounted LED Mirror 289

- Size: 8 inches
- Mirror: 3x
- Material: Brass+Zinc+Stainless steel
- QTY: 10pcs/ctn
- Master carton size: W715xD295xH590MM


● Chrome ● Black ● Zirconium gold



Desktop LED Mirror 505

- Size: 8 inches
- Mirror: 3x, 5x
- Material: Brass+Zinc+Stainless steel
- Led light: 5W/10W, 5V~
- Light colour: white, warm white, yellow
- Connect: rechargeable battery
- Power supplied: single touch three color dimming, long press stepless dimming
- QTY: 20pcs/ctn
- Master carton size: W790xD400xH560MM


● Chrome ● Black ● Zirconium gold



Desktop LED Mirror 501

- Size: 8 inches
- Mirror: 3x, 5x
- Material: Brass+Zinc+Stainless steel
- Led light: 5W,110-260V~
- Light colour: white, warm white, yellow
- Connect: plug
- Power supplied: AC 110-260V~ used; rechargeable battery
- Plug: EU, BS, US, AU, BRA, SA, IT Plugs ect
- QTY: 8pcs/ctn
- Master carton size: W745xD440xH645MM


● Chrome ● Black ● Zirconium gold



Desktop LED Mirror 266

- Size: 8 inches
- Mirror: 3x, 5x
- Material: Brass+Zinc+Stainless steel
- Led light: 5W,110-260V~
- Light colour: white,warm white,yellow
- Connect: plug
- Power supplied: AC 110-260V~ used; rechargeable battery
- Plug: EU, BS, US, AU, BRA, SA, IT Plugs ect
- QTY: 8pcs/ctn
- Master carton size: W745xD440xH645MM


● Chrome ● Black ● Zirconium gold



Desktop Cosmetic Mirror 226

- Size: 8 inches
- Mirror: 3x, 5x
- Material: Brass+Zinc+Stainless steel
- Led light: 5W,110-260V~
- Light colour: white, warm white, yellow
- Connect: plug
- Power supplied: AC 110-260V~ used; rechargeable battery
- Plug: EU, BS, US, AU, BRA, SA, IT Plugs ect
- QTY: 8pcs/ctn
- Master carton size: W745xD440xH645MM


● Chrome ● Black ● Zirconium gold



Desktop Cosmetic Mirror 235

- Size: 6 inches
- Mirror: 3x, 5x
- Material: Brass+Zinc+Stainless steel
- QTY: 20pcs/ctn
- Master Carton Size: W810xD400xH560MM

● Chrome ● Black ● Zirconium gold





Absorption Minibar

No compressor, no noise

Certificates: **CE CB RoHS**

Model M-50A

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
45L	65W	220-240V~/110-120V~	50Hz/60Hz	15.5/17KG	W490xD490xH425MM



Model	M-25A
Volume	25L
Rated Power	65W
Voltage	220-240V~/110-120V~
Rated Frequency	50Hz/60Hz
Dimensions	W400xD370xH470MM
N.W./G.W.	14/15KG
Color	Black



Model	M-30A
Volume	30L
Rated Power	65W
Voltage	220-240V~/110-120V~
Rated Frequency	50Hz/60Hz
Dimensions	W400xD420xH490MM
N.W./G.W.	14.5/15.5KG
Color	Black



Model	M-40A
Volume	40L
Rated Power	65W
Voltage	220-240V~/110-120V~
Rated Frequency	50Hz/60Hz
Dimensions	W400xD440xH550MM
N.W./G.W.	17/18.5KG
Color	Black



Model M-25T

Volume	Rated Power	Voltage
25L	65W	220-240V~/110-120V~
Rated Frequency	N.W./G.W.	Dimensions
50Hz/60Hz	15.5/16.5KG	W400xD360xH473MM



Model M-30T

Volume	Rated Power	Voltage
30L	65W	220-240V~/110-120V~
Rated Frequency	N.W./G.W.	Dimensions
50Hz/60Hz	16.5/17.5KG	W400xD410xH493MM



Model M-40T

Volume	Rated Power	Voltage
40L	65W	220-240V~/110-120V~
Rated Frequency	N.W./G.W.	Dimensions
50Hz/60Hz	18/19.5KG	W400xD425xH553MM



Model M-25B

Volume	Rated Power	Voltage
25L	65W	220-240V~/110-120V~
Rated Frequency	N.W./G.W.	Dimensions
50Hz/60Hz	15.5/16.5KG	W400xD360xH473MM



Model M-30B

Volume	Rated Power	Voltage
30L	65W	220-240V~/110-120V~
Rated Frequency	N.W./G.W.	Dimensions
50Hz/60Hz	16.5/17.5KG	W400xD410xH493MM



Model M-40B

Volume	Rated Power	Voltage
40L	65W	220-240V~/110-120V~
Rated Frequency	N.W./G.W.	Dimensions
50Hz/60Hz	18/19.5KG	W400xD425xH553MM

Retro Minibar

Comfortable and quality life



Beige



Red



Orange

Model CB-40SAR

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
40L	58W	220-240V~/110-120V~	50Hz/60Hz	12.3/13.8KG	W400xD425xH560MM

Certificates CE RoHS



Thermoelectric Minibar

Comfortable and quality life

○ Black ○ Certificates: CE CB



Model CB-30SAF

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
30L	55W	220-240V~/110-120V~	50Hz/60Hz	8/9KG	W385xD420xH475MM



Model SC-30SAF

Volume	Rated Power	Voltage
30L	55W	220-240V~/110-120V~
Rated Frequency	N.W./G.W.	Dimensions
50Hz/60Hz	10/11KG	W385xD405xH485MM



Model CB-40SAF

Volume	Rated Power	Voltage
40L	55W	220-240V~/110-120V~
Rated Frequency	N.W./G.W.	Dimensions
50Hz/60Hz	9.5/10.5KG	W400xD420xH560MM



Model SC-40SAF

Volume	Rated Power	Voltage
40L	55W	220-240V~/110-120V~
Rated Frequency	N.W./G.W.	Dimensions
50Hz/60Hz	11.5/12.5KG	W400xD410xH570MM

Thermoelectric Minibar(Heat Pipe)

Comfortable and quality life

☐ Black ☐ Certificates: CE RoHS



ErP Class: F

Model CB-45SA

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
45L	58W	220-240V~/110-120V~	50Hz/60Hz	15.5/17KG	W490xD455xH425MM



ErP Class: E

Model CB-21SA

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
21L	58W	220-240V~/110-120V~	50Hz/60Hz	9.4/10.6KG	W385xD455xH375MM



ErP Class: E



Model CB-20SA

Volume	Rated Power	Voltage
20L	58W	220-240V~/110-120V~
Rated Frequency	N.W./G.W.	Dimensions
50Hz/60Hz	8.5/9.3KG	W360xD390xH430MM



ErP Class: D



Model SC-20SA

Volume	Rated Power	Voltage
20L	58W	220-240V~/110-120V~
Rated Frequency	N.W./G.W.	Dimensions
50Hz/60Hz	10/11KG	W360xD385xH440MM



ErP Class: E



Model CB-30SA

Volume	Rated Power	Voltage
30L	58W	220-240V~/110-120V~
Rated Frequency	N.W./G.W.	Dimensions
50Hz/60Hz	10/11.1KG	W385xD420xH475MM



ErP Class: E



Model SC-30SA

Volume	Rated Power	Voltage
30L	58W	220-240V~/110-120V~
Rated Frequency	N.W./G.W.	Dimensions
50Hz/60Hz	11.4/12.4KG	W385xD415xH485MM



ErP Class: E



Model CB-40SA

Volume	Rated Power	Voltage
40L	58W	220-240V~/110-120V~
Rated Frequency	N.W./G.W.	Dimensions
50Hz/60Hz	11.8/13KG	W400xD425xH560MM



ErP Class: D



Model SC-40SA

Volume	Rated Power	Voltage
40L	58W	220-240V~/110-120V~
Rated Frequency	N.W./G.W.	Dimensions
50Hz/60Hz	14/15.2KG	W400xD420xH570MM

Hotel Room Safes

- Password: 4 -6 digits.
- International ADA silicone blue backlight buttons available for the blind, which are wear-resistant (more than 100,000 times of service life after being tested).
- LED/LCD display, operation instructions in Chinese and English.
- External backup power interface.
- An electronic code lock system is adopted with programmable CPU
- Three-level management setting system: administrator password (can be disabled), mechanical lock device and electronic decoder, which can check and print more than 1000 records of safes' opening and closing recently.
- High-quality, anti-scratch and wear-resistant surface treatment, and the products meet the requirements of international environmental protection organization.
- Solid all-steel lock bolt, and 13-17 inch laptops can be stored well.
- Hidden emergency key hole, being more beautiful and safer.
- Powered by 1.5V AA alkaline batteries with low battery prompt.
- Laser cutting technology on box body makes the surface flat, and brings excellent safety performance.
- High-quality cold-rolled steel plate, which is acid-resistant, anti-corrosion, sturdy and pry-proof.
- RoHS certified environmentally friendly plastic powder and degreasing treatment on the box body makes the surface smooth and the paint durable without color changed.



Model K-FG005B

Display	Dimensions	N.W.	Color
LED	W400xD350xH127MM	9KG/PC	Gray/Black



Model K-FG001

Display	Dimensions	N.W.	Color
LED	W400xD350xH145MM	10.35KG/PC	Gray/Black



Model K-FG800

Display	Dimensions	N.W.	Color
LED	W400xD350xH145MM	11.6KG/PC	Gray/Black



Model	Display	Dimensions	Power Cable	Color
DT-01	LCD	W152xD84xH34MM	720mm	Gray



Model K-BE003

Display	Dimensions	N.W.	Color
LED	W420xD380xH200MM	9.9KG/PC	Gray/Black



Model K-JG001

Display	Dimensions	N.W.	Color
LED	W420xD380xH200MM	11.2KG/PC	Gray/Black



Model K-JG002

Display	Dimensions	N.W.	Color
LED	W420xD380xH200MM	11.5KG/PC	Gray/Black



Model K-JG003

Display	Dimensions	N.W.	Color
LED	W420xD380xH200MM	12KG/PC	Gray/Black



Model K-BE800

Display	Dimensions	N.W.	Color
LED	W420xD380xH200MM	10.5KG/PC	Gray/Black





Model K-BE100

Display	Dimensions	N.W.	Color
LCD	W420xD380xH200MM	10.3KG/PC	Gray/Black




Model K-BE200


Display	Dimensions	N.W.	Color
LED	W420xD380xH200MM	10.3KG/PC	Black/White



36UK 305 - 36 LOCKERS
NETT WEIGHT : 183KG



30UK 405 30 LOCKERS
NETT WEIGHT : 169KG




24UK 505 - 24 LOCKERS
NETT WEIGHT : 160KG



18UK 310 - 18 LOCKERS
NETT WEIGHT : 153KG



15UK 410 - 15 LOCKERS
NETT WEIGHT : 134KG



12UK 510 - 12 LOCKERS
NETT WEIGHT : 133KG



6UK 1010 - 6 LOCKERS
NETT WEIGHT : 100KG

EXTERNAL DIMENSIONS	
HEIGHT	627 mm
WIDTH	882 mm
DEPTH	450 mm



K-BC14

K-BC16

K-BC18

K-BC20

K-BC25



Bank/Hotel Guest Deposit Box

The combination of advanced mechanical lock technology and traditional hardware technology provides guests with efficient, safe deposit service

Locks:

Using international UL standard of high precision double key lock, master key and guest key used at the same time to open box, the key can't be reproduced

Material:

Stainless steel
The thickness of door is 10mm and is made of stainless steel (SUS304)
The box uses high-quality cold-rolled steel

Material:

5mm and 2mm high quality steel plate on the door and box respectively
Inside box is made of 0.8mm steel plate with being spray processing

Model	Outside size(mm)	Big door size(mm)	Middle door size(mm)	Small door size(mm)	N.W./G.W.(kg)	Color
K-BC14	W800xD450xH930	W410xH245	W410xH150	W195xH110	110/115	Gray/Ivory
K-BC16	W880xD450xH1100	W410xH245	W266.6xH180	W195xH165	122/127	Gray/Ivory
K-BC18	W800xD450xH1270	W410xH225	W410xH150	W195xH110	155/160	Gray/Ivory
K-BC20	W880xD450xH1460	W410xH245	W410xH180	W195xH110	176/181	Gray/Ivory
K-BC25	W880xD450xH1660	W410xH272.5	W266.6xH180	W195xH110	212/217	Gray/Ivory